International Journal for Multidisciplinary Research (IJFMR)
E-ISSN: 2582-2160 ● Website: www.ijfmr.com ● Email: editor@ijfmr.com

Lithium: A Discourse on Global Reserves, India's Ascendancy and Substitutes for A Verdant Future

Dr. Ashokaditya P. Dhurandhar

Orion Geohytech India G-10 Brahmaputra Apartment Aakar Nagar Katol Road Nagpur 440013

Abstract

The growing need for lithium, driven by the quick rise in the use of electric vehicles (EVs) and grid-scale energy storage systems, shows how important it is to look closely at its global supply chain. Lithium's superior electrochemical properties allow battery energy densities to exceed 160 Wh/kg by weight and 400 Wh/L by volume. This makes it a key part of global efforts to reduce carbon emissions. There are 30 million metric tonnes (MT) of lithium reserves around the world, and 115 million MT of resources, mostly in the Lithium Triangle (Chile, Argentina, Bolivia) and Australia. These two areas make up more than 54% of the reserves. In 2024, production reached 240,000 MT, mostly from hard-rock pegmatites in Australia and brine deposits in South America. To meet clean energy goals, production needs to increase to 1.5–11.2 million MT by 2050, according to Net Zero Emissions (NZE) projections. Demand is expected to rise to 1.7 million MT by 2050, mostly because of EVs (58–69%) and battery storage (23–29%). Without major investments and recycling contributions (10–30%), there could be supply shortages of up to 728 kt. India's reserves, which are thought to be 114,100 MT, are ready to be used after recent changes to the law. By 2050, domestic demand is expected to rise 57-fold to 92,760 tonnes, mostly from EVs (43–69%), while the country relies heavily on imports (over 70% from China). A SWOT analysis shows that there are chances for recycling and working with other countries, but there are also geopolitical weaknesses. Emerging alternatives such as sodium-ion, aluminum-ion (with theoretical densities of 1,060 Wh/kg), graphene (up to 1,000 Wh/kg), and nuclear betavoltaic batteries present promising avenues to reduce lithium dependency, promoting diversified and sustainable energy paradigms.

Keywords: Lithium, Global Reserves, Lithium supply chain, Recovery, Recycling, Net Zero Emissions (NZE), Future Alternatives

INTRODUCTION

The growing need for lithium, which is caused by the rise of electric vehicles and large-scale energy storage, means that its global supply chain needs to be carefully looked at. Lithium's electrochemical properties give batteries energy densities that are higher than 160 Wh/kg by weight and 400 Wh/L by volume, making it essential for efforts to reduce carbon emissions (Dhurandhar, 2020). According to estimates, production needs to increase fivefold by 2050 from 2018 levels in order to meet clean energy needs, which will require more than three billion tons of important minerals (World Bank, 2017). This essay uses quantitative tables and charts to clearly show how reserves, production, demand patterns, India's geopolitical position, and technological alternatives all fit together.

Global Reserves and Resources of Lithium

Lithium reserves are estimated to be 30 million metric tons (MT) around the world, and resources are thought to be 115 million MT, because of ongoing exploration efforts (USGS, 2025), Table 1, Figure 1a. The United States has 19 million MT of resources, which come from continental brines, geothermal brines, hectorite, oilfield brines, and pegmatites. Most of the world's reserves are in South America and Australia. Bolivia has 23 million MT of undeveloped resources (Fig. 1a). and the reserves are very concentrated (Table 1), with Chile and Australia together holding 54.3% of the world's total. This shows how vulnerable supply chains are to changes in one region. About 58% of the world's lithium reserves are in the Lithium Triangle, which includes parts of Argentina, Bolivia, and Chile (ABC Triangle). Most of these reserves are in brine formations that can be easily extracted. India's allocation of 0.4% indicates significant unexploited potential within pegmatite formations, dependent on improved geophysical surveys (Dhurandhar, 2020). This distribution suggests geopolitical tensions, as shown by China's 10% share compared to its dominance in refining



Figure 1a: Global distribution of major lithium reserves countries

Table 1: Lithium Reserves by Principal Countries (Metric Tonnes, Lithium Content, (2025)

Country	Reserves (MT)	Percentage of Global Total (%)	Notes
Chile	9,300,000	31.0	Predominantly brine deposits in Salar de Atacama (IEA, 2024).
Australia	7,000,000	23.3	Joint Ore Reserves Committee-compliant: 4,800,000; hard-rock pegmatites (USGS, 2025).
Argentina	4,000,000	13.3	Brines in the Lithium Triangle (IEA, 2024).
China	3,000,000	10.0	Pegmatites and brines; reserves over 30 million MT per China Geological Survey (2025) (S&P Global, 2025).
Canada	1,200,000	4.0	Pegmatites in Quebec and Manitoba (USGS, 2025).
Zimbabwe	480,000	1.6	Hard-rock deposits (S&P Global, 2025).
Brazil	390,000	1.3	Pegmatites (USGS, 2025).

India	114,100	0.4	Pegmatite belts; appraisals in Mandya and Bastar (Dhurandhar, 2020).
Portugal	60,000	0.2	Pegmatites (USGS, 2025).
Namibia	14,000	0.0	Emerging hard-rock sources (USGS, 2025).
World Total	30,000,000	100.0	Excluding Bolivia's 23 million MT resources (undeveloped) (USGS, 2025).



Fig. 1b: Pie chart of major lithium reserves in world

The pie chart (Fig. 1b) shows how reserves are distributed. Chile (31%) and Australia (23%) account for the largest portions, and together they make up more than half of the world's total. Argentina (13%) and China (10%) are next, and India's share (0.4%) is very small, which shows that there is room for growth in the country. The "Other" category (15.8%) includes undeveloped Bolivian resources, which shows difficulties in extraction from brine salars (USGS, 2025).

Geological Occurrences and Country-Wise Production

Lithium is mainly obtained from brine salars and hard-rock pegmatites, with additional sources including minerals like spodumene, amblygonite, and lepidolite (Dhurandhar, 2020). In 2024, global production, excluding the United States, reached 240,000 MT, marking an 18% increase from 2023, attributed to increased battery demand (USGS, 2025).

Table 2: Lithium Mine Production by Country (Metric Tonnes, Lithium Content, 2018-2024, with Projections)

Country	2018	2019	2020	2021	2022	2023	2024 (Est.)	Projected 2030 (Base Case)	Projected 2050 (NZE/Global)	Geological Occurrences

Australia	51,000	45,000	39,700	55,000	61,000	91,700	88,000	~100,000-120,000	~20-30% global share	Hard-rock pegmatites (e.g., Greenbushes, Pilgangoora); spodumene-dominant (Benchmark Mineral Intelligence, 2024).
Chile	16,000	19,300	21,500	26,000	39,000	41,400	49,000	~60,000-80,000	Up to 30% in Latin America	Brine salars (Salar de Atacama); high-concentration (0.3%) lithium brines with halite and gypsum crusts (Benchmark Mineral Intelligence, 2024).
China	8,000	10,800	13,300	14,000	19,000	35,700	41,000	~50,000-70,000	Dominant in processing (~65%)	Pegmatites and brines (Qaidam Basin, Zabuye); mixed sources (Benchmark Mineral Intelligence, 2024).

Argentina	6,200	6,300	5,900	6,200	6,200	8,630	18,000	~30,000-50,000	Significant in Lithium Triangle	Brine salars (Salar de Rincon); Lithium Triangle with Bolivia and Chile (IEA, 2024).
Brazil	600	2,400	1,420	1,500	2,200	5,260	10,000	~15,000-20,000	Emerging player	Pegmatites; lepidolite and amblygonite (USGS, 2025).
Zimbabwe	1,600	1,200	417	1,200	800	14,900	22,000	~25,000-30,000	Africa growth hub	Pegmatites; emerging African hub (S&P Global, 2025).
Canada	2,400	200	-	-	500	3,240	4,300	Limited	Pegmatite expansion	Pegmatites (e.g., Quebec) (USGS, 2025).
Namibia	500	-	-	-	-	2,700	2,700	Emerging	Hard-rock	Pegmatites (USGS, 2025).
Portugal	800	900	348	900	600	380	380	Stable	Pegmatite	Pegmatites (USGS, 2025).
Bolivia	-	-	-	-	-	-	Minimal	~15,000 by 2021 (proj.)	Undeveloped	Brine in Salar de Uyuni; porous salt crust (halite,

										gypsum) (Dhurandhar, 2020).
World Total (ex. U.S.)	85,000	82,500	82,000	100,000	130,000	204,000	240,000	~450,000	1.5-11.2 Mt	Brines (South America, U.S., Tibet); pegmatites (Australia, Africa, Asia) (Dhurandhar, 2020).

The production will rise threefold, from 85,000 MT in 2018 to 240,000 MT in 2024 (Table 2). Australia, Chile, and China will make up 74% of the output in 2024. Argentina (+109%) and Brazil (+90%) are leading the way in year-over-year growth in 2024 (+18% globally). This shows that brine projects are maturing in South America. Estimates say that by 2030, the number will double to about 450,000 MT, and by 2050, it will be between 1.5 and 11.2 Mt (Table 2). This is because pegmatite sources make it easier to scale quickly compared to brines. These trends show that it is possible to meet demand, but they also show that concentrated production can be risky (USGS, 2025).



Fig. 2: Bar Chart of 2024 Lithium Production by Country with YoY Growth Overlay

The production in illustrates production in 2024 is illustrated with a line on top of a bar chart (Figure 2).

Australia is the top producer, although its production has dropped by 4.03% shown as YoY red line (Figure 2). The line high at +108.57% after Argentina's bar (7.5%, 18,000 MT) demonstrates how swiftly the brine project is getting along. This image shows how production may alter in a short amount of time. Countries in South America and Africa are growing swiftly, which makes it easier to make smart investments to maintain supplies stable (Benchmark Mineral Intelligence, 2024).



Fig. 3a: Stacked Area Chart of Projected Lithium Production by Region to 2050 (NZE Scenario)

The stacked area chart (Fig. 3a) extrapolates production to 1.7 Mt by 2050 under NZE, with Latin America's green layer expanding from 28% (2024, 67,000 MT) to 35% (600,000 MT), propelled by brine scalability in Chile and Argentina. Australia's blue layer stabilizes at 12%, while the "Other" yellow layer (Brazil, Zimbabwe) ascends to 44%, fostering diversification. This configuration anticipates NZE demand fulfilment but reveals gaps (~728 kt) absent further capital infusion (IEA, 2024).

Global Mined Lithium Projections (2025–2050)

Global mined lithium production is projected to increase from ~255 kt Li in 2024 to 471 kt by 2030 and 418 kt by 2040 (noting a potential plateau or adjustment in base case), with demand reaching 1,160 kt by 2050—requiring 4–5x scaling from current levels. Australia, Chile, and China dominate initially (77% share in 2024), but diversification grows via Argentina, Zimbabwe, Canada, and the US, reducing top-3 concentration to ~67% by 2030.

Key Projections by Year (Approximate Shares, %):

- **2025**: Total ~291 kt Li. Australia ~35%, Chile ~19%, China ~22%, Argentina ~5%, Zimbabwe ~9%, Rest of World (incl. Canada, US, Brazil) ~6%, Other ~4%.
- **2030**: Total 471 kt Li. China ~28%, Australia ~26%, Chile ~12%, Argentina ~10%, Zimbabwe ~7%, Rest of World ~10%, Other ~7%.
- **2040**: Total 418 kt Li. China ~30%, Australia ~24%, Chile ~14%, Argentina ~12%, Zimbabwe ~6%, Rest of World ~8%, Other ~6%.
- **2050**: Total ~1,160 kt Li (demand-driven). China ~25%, Australia ~22%, Chile ~12%, Argentina

- ~12%, Zimbabwe ~6%, Rest of World ~15%, Other ~8%. Top-3 share ~59%, reflecting accelerated North American and African growth (Fig. 3b).



Fig. 3b: Projected Share of Global Mined Lithium by Country (2025–2050)

Global Refined Lithium Projections (2025–2050)

Refining remains concentrated, with China holding ~70% in 2024, though diversification via Australia, the US, and Europe reduces top-3 share (China, Chile, Argentina) from 96% to 85% by 2030. Capacity grows from 242 kt in 2024 to 450 kt by 2030 and 461 kt by 2040, with US ownership reaching 15% despite lower geographic share (Fig. 3c).

Key Projections by Year (Approximate Shares, %):

- **2025**: Total ~300 kt Li. China ~72%, Chile ~18%, Argentina ~6%, Australia ~2%, US ~1%, Europe/Other ~1%.
- **2030**: Total 450 kt Li. China ~62%, Chile ~13%, Argentina ~11%, Australia ~5%, US ~6%, Europe/Other ~3%.
- **2040**: Total 461 kt Li. China ~61%, Chile ~13%, Argentina ~11%, Australia ~6%, US ~11%, Europe/Other ~8%.
- **2050**: Total ~1,000 kt Li (adjusted for recycling). China ~55%, Chile ~12%, Argentina ~10%, Australia ~8%, US ~10%, Europe/Other ~5%. Top-3 share ~77%, with recycling easing pressure.



Fig. 3c: Projected Share of Global Refined Lithium by Country (2025–2050)

Key Insights

- **Mined Lithium**: Rapid growth in Argentina and Zimbabwe diversifies supply, but potential deficits loom in the 2030s without new investments. Australia's share declines from 35% in 2025 to 22% by 2050.
- **Refined Lithium**: China's dominance persists at >50% through 2050, posing supply chain risks; US and Australian capacity expansions are critical for resilience.
- **Overall Trends**: Demand surges 4–6x by 2030, necessitating $400B+ in investments; recycling could supply 20–30% by 2050, reducing mining needs (Fig. 3c).

Global Lithium Production, Demand, and Supply Gaps

Production in 2023 attained 190-194 kt (chemical yield 176 kt), derived from brines (70 kt) and hard rock (120 kt) (IEA, 2024). Consumption escalated to 220,000 MT in 2024, a 29% increment, predominantly from batteries (87%) (USGS, 2025). Demand is forecasted to reach 1.5 million tonnes LCE by 2025 and 3 million by 2030, with battery requirements at 700,000 MT LCE by 2025 (BloombergNEF, 2024). Supply capacity stands at 1.3 million MT de-risked mines by 2025, adequate for near-term needs but challenged by non-tier 1 quality issues (BloombergNEF, 2024).

Table 3: Global Lithium Demand, Supply, and Gaps Projections to 2050 (kt Lithium Content)

Year/Scenario	Demand (Total)	Demand (Clean Energy)	Supply (Announced/Base)	Gap (Shortfall)
2023	165	92-101	190-194	Oversupply (~25 kt)
2030 STEPS	471	381	~450	Minimal (~20 kt)
2030 APS	531	442	~450	~80 kt
2030 NZE	705	616	~450	~255 kt
2040 STEPS	991	868	~408	~583 kt
2040 APS	1,326	1,203	~408	~918 kt
2040 NZE	1,431	1,308	~408	~1,023 kt
2050 STEPS	1,196	1,041	~1,000 (est.)	~196 kt
2050 APS	1,607	1,452	~1,000 (est.)	~607 kt
2050 NZE	1,728	1,573	~1,000 (est.)	~728 kt

The Table 3 quantifies widening supply-demand disparities, transitioning from a 25 kt oversupply in 2023 to 728 kt shortfalls under NZE by 2050, wherein clean energy constitutes 91% of demand. Stated Policies Scenario (STEPS) yields milder gaps (196 kt by 2050), attributable to moderated EV adoption. Announced Pledges Scenario (APS) and NZE accentuate the imperative for recycling (10-30% mitigation) and $800 billion investments (IEA, 2024).



Fig. 4: Stacked Bar Chart of Global Lithium Demand-Supply Gaps by Scenario, 2030-2050

The stacked bar chart (Fig. 4) juxtaposes demand (blue), supply (green), and gaps (red) across scenarios, revealing NZE's pronounced red stacks (e.g., 1,023 kt in 2040), escalating from 255 kt in 2030. STEPS bars show balanced stacks (minimal gaps), illustrating policy's moderating effect. This visualization quantifies the urgency for supply augmentation to avert bottlenecks in clean energy deployment (IEA, 2024).

Industry-Wise Lithium Demand Projections to 2050

Demand trajectories are overwhelmingly oriented toward clean energy technologies, with EVs and battery storage projected to exceed 90% by 2030 under NZE conditions (IEA, 2024).

Table 4: Lithium Demand by Industry Sector to 2050 (kt, NZE Scenario)

Sector	2023	2030	2040	2050	Percentage of Total Demand in 2050 (%)	Notes
EVs (Light-Duty, etc.)	70-80	400-500	800-1,000	1,000-1,200	58-69	90%+ clean energy; 5,500 GWh (2030) (IEA, 2024).
Battery Storage	20-25	150-200	300-400	400-500	23-29	LFP dominant; 1,200 GW (2030) (IEA, 2024).
Electronics	10-15	20-30	30-40	40-50	2-3	<10% share (Jones (2024).
Glass/Ceramics	5-10	10-15	15-20	20-25	1-1	Stable (Jones (2024).
Other	5-10	10-15	15-20	20-25	1-1	Minor; cumulative 2022-2050: ~1-2 Mt (Jones (2024).

Total	165	705	1,431	1,728	100	Recycling mitigates 10-30% (IEA, 2024).

Table 4 forecasts a tenfold augmentation in demand to 1,728 kt by 2050, wherein EVs and storage collectively dominate (81-98%), reflective of 300 million EVs and 5 TW storage capacity by 2040-2050. Non-battery sectors remain marginal (<10%), underscoring the imperative for recycling to alleviate primary supply pressures (IEA, 2024).



Fig. 5: Bar and Line Chart of Lithium Demand by Sector to 2050 (NZE Scenario)

The bar chart (Fig. 5), overlaid with a line for total demand, depicts sectoral growth, with EV bars (blue) and storage bars (green) escalating to dominate by 2050 (1,100 kt and 450 kt, respectively). The yellow line traces total demand from 165 kt (2023) to 1,728 kt (2050), illustrating clean energy's pre-eminence. Electronics (red) remain subdued, affirming the sector's pivot toward batteries (Jones (2024).

Lithium Consumption by Geographies and Ownership

Consumption is asymmetrically distributed, with Asia—predominantly China (40% market share)—accounting for over 60%, succeeded by North America (15-20%) and Europe (15%) (BloombergNEF, 2024). United States imports aggregated $433 million in 2024-2025, sourced primarily from China (18.3%), Singapore (17%), Chile (16.7%), Japan (13.9%), and Argentina (11.7%) (USGS, 2025). Ownership structures are dominated by private entities, including SQM (Chilean, 20% Tianqi stake), Ganfeng Lithium (Chinese), Albemarle (U.S.), Tianqi, Arcadium Lithium, and Pilbara Minerals, with Chinese equity in foreign assets (S&P Global, 2025).

Asia's consumption hegemony reflects manufacturing centrality, whereas U.S. import diversification mitigates risks from China's refining monopoly (65%). Private ownership accelerates innovation but exacerbates geopolitical interdependencies (S&P Global, 2025).



Fig. 6: Pie Chart of Lithium Consumption by Geography, 2024

The pie chart (Fig.6) delineates consumption, with Asia's segment (60%) dwarfing North America (18%) and Europe (15%), reflective of manufacturing localization. South America's 5% share belies its reserve abundance, indicating export orientation, while "Other" (2%) encompasses minor regions. This asymmetry amplifies supply chain fragility (BloombergNEF, 2024).

India's Position in Exploration, Mining, Demand-Supply Gaps, and Long-Term Sustainability

India has 114,100 MT of reserves, including 5.9 million tonnes in bauxitic clays of Reasi district, Jammu & Kashmir and potential reserves in Rajasthan, Chhattisgarh, Karnataka, and Jharkhand. The government tried to sell deposit of Reasi district twice at auction, but companies weren't interested economics of Li extraction from the bauxitic clays (Dhurandhar, 2020). Prior to the Mines and Minerals (Development and Regulation) Amendment Act, 2023 (effective from 2024), lithium, beryllium, and rare earth elements (REEs) were classified as prescribed substances under the Atomic Energy Act, 1962. This meant that only the Atomic Minerals Directorate for Exploration and Research (AMD) could look for them. For strategic reasons, AMD godowns still haven't declared the lithium minerals and beryl they have in stockpiles (Vivekananda International Foundation, 2024; PRS India, 2023). The change in 2023 made these minerals less secret, allowing private mining to happen with central oversight (PRS India, 2023; IEA, 2024). Exploration covers 30% of the potential, but auctions in Kashmir have been put on hold. The National Critical Mineral Mission (2025–2031) and Khanij Bidesh India Ltd (KABIL) help India become more self-sufficient by making deals with Argentina, Australia, and Chile. Demand rises from 1,634 tons in 2022 to 40,499–92,760 tons by 2050, mostly because of electric vehicles (50–69%) (Jones 2024). More than 70% of imports come from China, and battery imports were $2.8 billion in 2022–23. (NITI Aayog, 2024). Recycling could cut demand by 14% by 2050 (IEA, 2024).

Table 5: India's Lithium Demand by Sector to 2050 (Tons, Accelerated Scenario)

Sector	2022	2030	2050	Percentage of Total Demand in 2050 (%)
EVs	~800	20,000-28,000	40,000-64,000	43-69
Storage	~300	10,000-15,000	15,000-20,000	16-22
Electronics/Other	~534	2,000-3,000	3,000-5,000	3-5

Total	1,634	40,499	92,760	100

A 57-fold demand expansion to 92,760 tons by 2050, dominated by EVs (43-69%), consonant with 30% EV market penetration by 2030 (Table 5). Storage (16-22%) supports renewable integration, while electronics/other remain marginal (3-5%). A 40,000-ton shortfall by 2030 without domestic output necessitates leveraging the 2023 amendment for private initiatives (NITI Aayog, 2024).



Fig. 7: Bar Chart of India's Lithium Demand by Sector to 2050

The bar chart illustrates sectoral demand trajectories, with EV bars (blue) surging to 52,000 tons by 2050, dwarfing storage (green, 17,500 tons) and electronics/other (red, 4,000 tons) (Fig.7). This configuration accentuates EVs' pre-eminence, projecting a total of 92,760 tons and underscoring the necessity for domestic supply chains (Jones 2024).

SWOT Analysis for India's Long-Term Sustainability

The SWOT framework assesses India's lithium sector, with scores (0-10) reflecting impact and probability, visualized in a radar chart.

Table 6: SWOT Analysis of India's Longterm stainabilities for Lithium

Aspect	Score (0-10)	Details
Strengths	8	Vast reserves (e.g., 5.9 Mt in J&K), government support via National Critical Mineral Mission (2025-2031), international partnerships KABIL accords with Argentina, Australia, Chile, and emerging processing expertise (NITI Aayog, 2024).
Weaknesses	7	Import dependency (70%+ from China, $2.8 billion battery imports in 2022-23), environmental risks (12,000 liters water per battery), labor shortages, bureaucratic delays, and historical opacity in AMD-managed lithium and beryl stockpiles (Vivekananda International Foundation, 2024).
Opportunities	9	Export potential, recycling growth (14-17% by 2050), green job creation, and private sector participation enabled by the Mines and Minerals (Development and Regulation) Amendment Act, 2023 (PRS India, 2023).

Threats	6	Geopolitical risks (China's 40% market share), climate vulnerabilities impacting mining, market volatility, and technological shifts toward alternatives like Li-S or Al-ion batteries (BloombergNEF, 2024).



Fig. 8: Radar Chart of SWOT Analysis for India's Lithium Sector

The radar chart (Fig. 8) delineates a quadrilateral configuration, with Opportunities (9) forming the apex, attributable to the 2023 amendment's facilitation of private exploration. Strengths (8) are robust, underpinned by reserves and international collaborations, whereas Weaknesses (7) stem from import reliance and AMD opacity. Threats (6) are subdued, mitigated by diversification strategies, thereby advocating prioritization of opportunities for sustainable advancement (NITI Aayog, 2024).

Recovery, Recycling, and Future Alternatives

Recovery processes encompass pre-consumer recycling during extraction and post-consumer reclamation from end-of-life products, with batteries representing 27% of lithium utilization (Dhurandhar, 2020). Post-consumer recycling is impeded by dissipative applications and low concentrations. Substitutes such as calcium, magnesium, and zinc in primary batteries, alongside Al-ion systems (31 MJ/kg energy density, 3,000 km EV range), offer viable alternatives with recyclable byproducts (IEEE Spectrum, 2025). India's IOC-Phinergy collaboration advances Al-air technologies. Li-S batteries attain 1,000+ Wh/kg, preserving 91% capacity after 1,700 cycles via sulfur cathodes (Monash University, 2025). Sodium-ion, solid-state, vanadium flow, and multivalent-ion (magnesium, calcium, zinc) batteries provide economical, abundant options (Nature Energy, 2025).

Recycling's projected 10-30% contribution to supply, coupled with Li-S and Al-ion innovations, alleviates lithium scarcity. India's aluminium resources position it advantageously for Al-ion adoption, fostering self-reliance amid global transitions (Dhurandhar, 2020).

Alternatives to lithium-ion batteries include sodium-ion (Na-ion) batteries and hydrogen fuel cells, each catering to distinct applications. Na-ion batteries, operating on a similar principle to Li-ion but using abundant sodium, offer a lower-cost, safer solution with faster charging, making them ideal for grid storage and shorter-range electric vehicles, though they suffer from lower energy density (Cole et al., 2024; Exponent, 2024). Conversely, hydrogen fuel cells, which generate electricity by combining hydrogen and oxygen, excel in applications demanding high energy density by weight and rapid refuelling, such as long-haul trucking, shipping, and aviation; however, they are hampered by very low overall energy efficiency,

high costs, and a lack of production and refuelling infrastructure (Voelcker, 2023; FastEchus 2025). Consequently, the energy storage future is not a single replacement but a diversified landscape where Na-ion challenges Li-ion for cost-sensitive stationary storage, while hydrogen targets the heavy transport sector (PIF Events 2025) Table 8.

Table 8: Head-to-Head Comparison: Hydrogen vs. Sodium-ion vs. Lithium-ion

Feature	Lithium-Ion (Li-ion)	Sodium-Ion (Na-ion)	Hydrogen (Fuel Cell)
Energy Density (Wh/kg)	High (150-250)	Moderate (100-160)	Very High by weight (~33,000 for H_2)
Cost	High (Li, Co, Ni)	Very Low (Na, Fe, Mn)	Very High (Fuel Cell, H2 Production)
Charging/Refuelling	30 min - 12 hrs	15 min - 8 hrs	3-5 minutes
Efficiency	High (>90%)	High (~92%)	Very Low (<30% "Well-to-Wheel")
Safety	Moderate (Fire Risk)	High (More Stable)	High (Handling H2 gas)
Key Materials	Lithium, Cobalt, Nickel	Sodium, Iron, Manganese	Platinum, Iridium
Primary Applications	EVs, Consumer Electronics	Grid Storage, Low-Range EVs	Long-Range Transport, Industry
Infrastructure	Widespread (Grid)	Uses existing Li-ion infra.	Almost non-existent

Graphene batteries and nuclear batteries are other notable alternatives to traditional lithium-ion batteries, each offering unique advantages and challenges as energy storage solutions.

Graphene Battery Technology

Graphene batteries and nuclear batteries represent two fundamentally different paradigms in energy storage technology, each presenting a potential alternative to lithium-ion batteries for specific applications. Their development is driven by the limitations of current Li-ion technology, particularly concerning energy density, charging speed, lifespan, and environmental impact.

Graphene batteries leverage the exceptional properties of graphene—a two-dimensional carbon allotrope with high electrical conductivity, mechanical strength, and thermal stability. When integrated into battery electrodes, graphene can significantly enhance performance. As summarized in Table 9, these batteries promise substantially higher energy and power densities compared to Li-ion, translating to longer operation times and ultrafast charging. Their primary development challenges involve scaling up production and reducing manufacturing costs, but their potential applications are broad, including electric vehicles and high-performance portable electronics (Graphene-Info, 2025; Li et al., 2012).

Nuclear Battery Technology

In contrast, nuclear batteries, specifically betavoltaic devices, are not electrochemical cells but rather transducers that convert the decay energy of radioactive isotopes (e.g., tritium, carbon-14) directly into electricity. Their value proposition, detailed in Table 9, is not high power but extreme longevity and reliability. Capable of operating autonomously for decades without requiring recharge or maintenance,

they are ideally suited for niche applications where accessibility is limited, such as in medical implants, aerospace systems, and remote infrastructure sensors. Recent advancements have focused on improving conversion efficiency and ensuring safety through the use of low-penetration beta-emitters and robust containment (In, 2025; World Nuclear News, 2024).

Table 9: Comparative Performance Metrics of Battery Technologies

Battery Type	Energy Density (Wh/kg)	Power Output	Cost per kWh	Lifespan (Cycles/Years)
Lithium-Ion	130–285	Moderate (high for current tech)	$120–150 (2025 estimate)	500–2000 cycles / 2–10 years
Sodium-Ion	100–150	Slightly lower than Li-ion	$40–80 (raw material advantage)	2000–4000 cycles / ~10 years
Aluminum-Ion	40–60 (current lab, 1060 theoretical)	Very high (ultrafast charging: 60× Li-ion)	$35–80 (materials cheap, tech cost high)	20,000+ cycles (lab), 5–10 years
Graphene	250–1000 (varies, lab scale)	Up to 5× Li-ion (ultrafast charging)	$150–350 (currently high)	2500+ cycles / 10+ years
Nuclear (Betavoltaic, China)	<1 (very low, but stable)	Continuous low-power (100 μW, 3V – Betavolt)	$2000+ (specialized)	50+ years (no cycles, for low power)

Here is a comprehensive comparison table (Table 9, 10) showing energy density, power output, cost, and lifespan for lithium-ion, sodium-ion, aluminium-ion, graphene, and nuclear (betavoltaic) batteries, aggregating current scientific and Chinese industry claims:

- Energy density shows how much energy is stored per kilogram; higher numbers mean smaller, lighter batteries for the same energy.
- Power output represents how fast energy can be delivered; aluminium-ion and graphene are leaders in rapid delivery.
- Cost per kWh varies widely depending on technology maturity and raw material price.
- Lifespan is measured mostly in cycles for rechargeable batteries, or years for nuclear batteries which supply continuous power.

Table 10: Comparative Table

Feature	Graphene Battery	Nuclear Battery
Main Material	Graphene (carbon)	Radioactive isotopes (e.g., tritium, carbon-14)
Energy Density	Up to ~1000 Wh/kg	Low-moderate, but stable
Charging Speed	Very fast (minutes)	N/A (continuous output)
Lifetime	3–5× longer than Li-ion	Decades or longer
Safety	Non-toxic, non-flammable	Improved shielding; safe if contained
Sustainability	Lab made, eco-friendlier	Concerns over isotope sourcing/disposal
Typical Applications	Consumer electronics, EVs	Aerospace, medical, remote sensors

A broader comparison including other post-lithium contenders (Table 10, and 11) highlights the diverse trade-offs. Sodium-ion and aluminium-ion batteries offer advantages in cost, safety, and cycle life, but graphene leads in combined energy and power density. Nuclear batteries remain in a category of their own, defined by unparalleled lifespan for low-power applications. The choice of technology is therefore highly application-dependent, with graphene addressing the need for high performance and nuclear batteries solving the challenge of long-term, maintenance-free power. The typical numeric ranges for key performance and economic metrics for the five battery technologies (Table 11): These numbers reflect typical device-level performance as observed in current research, pilot projects, and Chinese industry claims.

Table 11: Overview of Alternative Battery Chemistries

Battery Type	Key Advantage	Key Disadvantage	Development Status
Sodium-Ion	Low cost, abundant materials	Lower energy density than Li-ion	Commercialization phase
Aluminum-Ion	Ultra-fast charging, high safety	Low practical energy density	Research & development
Graphene	Ultra-high energy & power density	High manufacturing cost	Late-stage R&D / early commercial
Nuclear (Betavoltaic)	Decade-scale lifespan without recharge	Extremely low power output	Niche commercialization

As alternatives, graphene batteries address lithium-ion limitations in energy density (2–4x higher), charging speed (4x faster), and longevity (3–6x more cycles), while offering better sustainability through abundant carbon resources and reduced reliance on rare metals (East Carbon, 2024; Ufine Battery, 2024). However, they remain primarily enhancements rather than full replacements, with challenges in scalability and cost parity projected for the 2030s (GlobeNewswire, 2025). These advancements could revolutionize EVs, renewables, and electronics, positioning China to lead the global energy transition (EV World, 2025; Benchmark Minerals).

Chinese innovations in nuclear batteries focus on extremely long life (no need for recharging for decades) but are suitable only for very low-power applications like sensors or implants. Sodium-ion and aluminium-ion excel in safety and cycle life, while graphene sets the benchmark for energy and power as next-generation technology. These ranges reflect current technology levels; results may vary depending on cell design, chemistry, and scale.

Conclusion

The global lithium supply chain is in a delicate balance between rising demand due to the need for clean energy transitions and weaknesses that come from geographic concentration and geopolitical interdependencies. Reserves are unfairly split between South America and Australia, and China's continued dominance in refining (over 50% through 2050) makes supply chain risks worse. Under NZE scenarios, projected deficits reaching 1,023 kt by 2040 necessitate investments surpassing $800 billion, augmented by recycling paradigms capable of fulfilling 20–30% of requirements by 2050, alongside diversification through ascendant producers such as Zimbabwe and Brazil. In India, using untapped mineral reserves through the 2023 Mines and Minerals Amendment Act, Khanij Bidesh India Ltd (KABIL)

partnerships, and the National Critical Mineral Mission is a good way to reduce reliance on imports and promote sustainable development, even though there are problems like slow-moving regulations and extraction methods that use a lot of water. Even though lithium is an important part of electric vehicles and energy storage, the arrival of better alternatives—like aluminum-ion, graphene, sodium-ion, and nuclear batteries, which have higher energy densities, longer lifespans, and more materials available—means that research and deployment must be sped up to solve the problem of scarcity, encourage technological innovation, and ensure long-term energy resilience in a world that is becoming less carbon-intensive.

References

1. **American Chemical Society. (2025).** Advances in aluminium-ion battery technology. ACS Energy Letters.
2. **Benchmark Minerals Infographic (2025)**: The state of play of next-generation battery capacity in 2025. https://source.benchmarkminerals.com/article/infographic-the-state-of-play-of-next-generation-battery-capacity-in-2025.
3. **Benchmark Mineral Intelligence. (2024).** Lithium market outlook: Production and supply chain analysis.
4. **BloombergNEF. (2024).** Lithium-ion battery demand forecast to 2030.
5. **Business Standard. (2025, February 10).** IOC-Phinergy joint venture for aluminium-air battery systems.
6. **Cole, J. M., He, G., & Tarascon, J.-M. (2024).** Techno-economic analysis of sodium-ion batteries: A pathway to cost-competitive energy storage. Nature Energy, 9(7), 789-801. https://doi.org/10.1038/s41560-024-01701-9
7. **Dhurandhar, A. P. (2020).** Lithium metal: Material for future technology. The Hitavada, July 11, 13, and 14, 2020.
8. **East Carbon. (2024, September 23).** Which is better – Graphene battery vs. lithium battery? https://www.eastcarb.com/graphite-battery-vs-lithium-battery/
9. **Economic Times. (2025, January 15).** KABIL signs MoU with Argentina for lithium exploration.
10. **Exponent. (024, June 6).** Assessing the future of sodium-ion battery technologies. Exponent. https://www.exponent.com/article/assessing-future-sodium-ion-battery-technologies.
11. **EV World. (2025, September 5).** Charging ahead: China's graphene battery breakthrough is a wake-up call for the West. https://evworld.com/article.php?id=384&slug=charging-ahead-chinas-graphene-battery-breakthrough-is-a-wake-up-call-for-the-west.
12. **FastEchus. (2025).** Why aren't hydrogen cars more popular?: Top 6 barriers explained. FastEchus. https://www.fastechus.com/blog/barriers-to-hydrogen-vehicle-adoption/. August 2025.
13. **Graphene-Info. (2025, August 9).** *Graphene batteries: Introduction and market news*. https://www.graphene-info.com/graphene-batteries
14. **GlobeNewswire. (2025, August 20).** Graphene batteries market trends and investment opportunities 2025-2034. https://www.globenewswire.com/news-release/2025/08/20/3136282/28124/en/Graphene-Batteries-Market-Trends-and-Investment-Opportunities-2025-2034.html.
15. **IEEE Spectrum. (2025).** Stable solid-state electrolytes for aluminium-ion batteries.
16. **In, S.-I. (2025, March 26).** A safe nuclear battery that could last a lifetime. *American Chemical*

Society. https://www.acs.org/pressroom/presspacs/2025/march/a-safe-nuclear-battery-that-could-last-a-lifetime.html

17. **International Energy Agency. (2024).** Global critical minerals outlook 2024.
18. **International Energy Agency. (2025).** Global critical minerals outlook 2025. https://www.iea.org/reports/global-critical-minerals-outlook-2025
19. **Li, N., Chen, Z., Ren, W., Li, F., & Cheng, H.-M. (2012).** Flexible graphene-based lithium ion batteries with ultrafast charge and discharge rates. *Proceedings of the National Academy of Sciences, 109*(43), 17360–17365. https://doi.org/10.1073/pnas.1204598109
20. **Monash University. (2025).** Ultra-fast charging lithium-sulfur battery is capable of powering long-haul EVs and commercial drones (2024, November 25) retrieved 18 September 2025 from https://techxplore.com/news/2024-11-ultra-fast-lithium-sulfur-battery.html
21. **Nature Energy. (2025).** Emerging battery technologies: Sodium-ion and multivalent-ion systems.
22. **NITI Aayog. (2024).** India's critical minerals strategy for EV battery supply chains.
23. **PIF Events. (2025).** Investing in the future: The potential of sodium batteries and hydrogen fuel. PIF Events. https://pif.events/investing-in-the-future-the-potential-of-sodium-batteries-and-hydrogen-fuel/
24. **PRS India. (2023).** The Mines and Minerals (Development and Regulation) Amendment Bill, 2023. https://prsindia.org/billtrack/the-mines-and-minerals-development-and-regulation-amendment-bill-2023
25. **Jones, E.C., Jr. (2024).** Lithium Supply Chain Optimization: A Global Analysis of Critical Minerals for Batteries. Energies 2024, 17, 2685. http://dx.doi.org/10.3390/en17112685.
26. **S&P Global. (2025).** China's lithium reserves and global supply chain dynamics.
27. **Ufine Battery. (2024, April 24).** Graphene battery vs lithium: Which leads in energy storage? https://www.ufinebattery.com/blog/graphene-battery-vs-lithium-battery-which-is-better/
28. **United States Geological Survey. (2025).** Mineral commodity summaries 2025.
29. **U.S. Geological Survey. (2025).** Mineral commodity summaries 2025: Lithium. https://pubs.usgs.gov/periodicals/mcs2025/mcs2025-lithium.pdf
30. **Vivekananda International Foundation. (2024).** Securing Bharat's critical mineral supply chains: The Mines and Minerals (Development and Regulation) Amendment Act, 2023. https://www.vifindia.org/article/2024/march/04/Securing-Bharat-s-Critical-Mineral-Supply-Chains.
31. **Voelcker, J. (2023).** Hydrogen cars: What you need to know about fuel-cell electric vehicles. Car and Driver. https://www.caranddriver.com/features/a41103863/hydrogen-cars-fcev/
32. **World Bank. (2017).** The growing role of minerals and metals for a low carbon future.
33. **World Nuclear News. (2024, January 15).** *Nuclear battery: Chinese firm aiming for mass market*. https://www.world-nuclear-news.org/articles/nuclear-battery-chinese-firm-aiming-for-mass-mark