

# Strategies and Technology For Improving Medication Safety in Pharmacy Practice

Snehal Ramdas Dheple<sup>1</sup>, Umesh Dashrath Dalvi<sup>2</sup>, Payal Vinod Prashad<sup>3</sup>,  
Rohan Gajanan Waykole<sup>4</sup>, Shivane Tupkar Manisha Parhad<sup>5</sup>

<sup>1,2,3,4</sup>Student, Pharmacy, Late Bhagirathi yashvantroa pathrikar college of pharmacy

<sup>5</sup>Associate Professor, Pharmacy, Late Bhagirathi yashvantroa pathrikar college of pharmacy

## Abstract

medicinal drug safety dangers are over-the-counter most vital preventable elements jeopardizing affected person safety. To control these risks, extending pharmacists' involvement in affected person care and affected person protection work has been systematically addressed in affected person protection projects over-the-counter over the counter early 2000s.

This article explores over-the-counter pivotal roles pharmacists play in making sure medication protection, emphasizing over-the-counter obligations in meting out accuracy, patient schooling, and inter-professional collaboration. It highlights over the counter challenges faced globally and in Bangladesh, over-the-counter workforce shortages, regulatory inconsistencies, and technological constraints.

Medicine protection necessitates over the counter development of robust, evidence based structures, and over-the-counter implementation of vigilant tracking at each stage of over-the-counter medication use technique to decrease over-the-counter mistakes and guard patient wellbeing.

## 1. Introduction

Medicine protection is a important difficulty in each network and hospital pharmacy settings. The proper control of medications is crucial to prevent detrimental drug activities, that could cause extreme fitness headaches or even fatalities (Tobaiqy&Maclure, 2024). These settings are often the first and final points of touch in a affected person's medication adventure, making over-the-counter m pivotal in making sure accuracy, appropriateness, and adherence. With ove rover the counter prioritizing medication protection, community and sanatorium pharmacies guard public health, reduce healthcare costs related to mistakes, and enhance over-the-counter over over the counter exceptional of care brought to patients.<sup>12</sup>

Pharmaco over the counter rapy is over the counter most common interventions in healthcare. Even effective, pharma cover the counter rapies used in hospitals are regularly challenging to manage: about 6% of hospitalized patients experience an damaging drug event during over the counter medical institution live.1 in lots of cases, medicines utilized in hospitals are parenterally administered, which will increase a danger for medicine mistakes (MEs).<sup>3</sup>

More over the counter, hospitalized patients are frequently volatile and need in depth and non-stop monitoring, as well as fast medical decision-making. System-based patient protection work has proven that medication mistakes are over the counter maximum critical preventable factors jeopardizing affected person safety in healthcare.<sup>4</sup>

To be safety pharmaco over the counter rapies used in hospitals require nicely-designed care tactics both for man or woman sufferers and on the organizational stage.<sup>4</sup>

Over-the-counter refore, global affected person protection projects prioritize strategies and policies to enhance secure remedy practices.<sup>5</sup>

These techniques have emphasized over-the-counter introduction of a protection tradition, studying from medicinal drug mistakes through reporting systems and improvement of preventive actions for prospective threat management.<sup>6</sup>

Medicinal drug protection is a critical situation in each community and hospital pharmacy settings. The proper control of medications is crucial to save you destructive drug activities, that can result in intense fitness headaches or maybe fatalities (Tobaiqy&MacLure, 2024). These settings are regularly the first and final points of touch in a affected person's remedy journey, making over the counter pivotal in ensuring accuracy, appropriateness, and adherence. Via prioritizing medicinal drug protection, network and medical institution pharmacies<sup>78</sup>

guard public fitness, lessen healthcare fees associated with errors, and beautify over-the-counter general over the counter best of care delivered to patients. Ensuring over-the-counter secure use of medications is important for preventing damaging drug activities, improving therapeutic results, and fostering trust in healthcare systems. Network and health facility pharmacies play pivotal roles in coping with medicinal drugs, minimizing errors, and enhancing affected person care. A network pharmacy is a retail-based establishment in which pharmacists and group of workers provide sufferers with prescription medicines, <sup>9</sup>2f2874cf80c036e5b52269eaf5ddfe83 tablets, and health recommendation. Those pharmacies act as a bridge among healthcare vendors and patients, promoting accessibility, preventive care, and public health training.

Comprehensive overview of peer-reviewed articles, guidelines, and reports from corporations which includes over-the-counter worldwide Pharmaceutical Federation (FIP), WHO, and countrywide regulatory bodies. Historic and contemporary analysis of pharmacy practices to discover developments and benchmarks.<sup>10</sup>

## **2. Materials AND methods**

### **2.1. context of over the counter examine**

In Finland municipalities are liable for organizing primary healthcare offerings, which can be specifically furnished through municipal health centers.<sup>28</sup> The secondary special healthcare is prepared with over over the counter significant hospitals, every of over the count term positioned over-the-counter in over over the counter personal hospital districts (n=21) covered via federations of municipalities (inclusive of over the counter Å land). For special tertiary healthcare, Finland is split into five responsibility regions, each with a university sanatorium. Private healthcare offerings entire over-the-counter general public over the counter health services. Medical institution pharmacies (n=24) are located in college hospitals, central hospitals and in a few large fitness facilities with inpatient wards. Medication dispensaries supply medicines in smaller inpatient healthcare gadgets over-the-counter over the counter public and private sectors. Some of over the count term operate independently as part of over-the-counter healthcare enterprise and over the counter over the counter public zone function underneath health center pharmacies<sup>11</sup>

### **2.2. examine design and approach**

This observe became carried out as a country wide on-line survey centered in any respect medical institution pharmacies and remedy dispensaries serving inpatient healthcare gadgets. The survey turned into first carried out in 2011 and repeated in 2016 for a follow-up of tendencies.<sup>11</sup>

### 2.3. Improvement of over-the-counter survey device

Six semi-established theme interviews were performed to develop over the counter survey device in 2011. The interviewees have been selected by using over the counter purposive sampling to offer over the counter widest variety of scientific pharmacy services widely wide-spread 3 MANUSCRIPT 172 in Finnish hospitals at that point. Recruitment become facilitated via over the counter Finnish<sup>12</sup>

### 2.4 Pharmacists' association

The take a look at became performed in 2011 and 2016 as a countrywide online survey centered to health center 47 pharmacies (n=24) and medical dispensaries (n=131 in 2011; n=28 in 2016). The questions were analyzed forty eight over over the counter descriptive statistics and qualitative content material evaluation.<sup>13</sup>

Pediatric medication protection fashions The Pediatric medicine safety model aims to save you errors over-the-counter aid of that specialize in schooling healthcare people, adjusting doses based on age and weight, over the counter standard prescribing pointers, and double checking medicinal drug.<sup>12</sup>

#### selection criteria:-



#### Inclusion criteria



1. Clinical articles with book date among January 2020 and December 2024.
2. Present day listed medical guides in English language most effective and handiest from peer-reviewed

journals handiest.<sup>14</sup>

3. research that specify over-the-counter effectiveness of era-associated interventions consisting of EHRs, automated points of medicine dispensing, and computerized decision aid over-the-counter over the counter nursing and pharmaceutical sets.
4. Studies that checks over-the-counter criteria related to exceptional of services supplied including accuracy, protection of over-the-counter sufferers and efficiency of over the counter operations.<sup>15</sup>
5. move-sectional, longitudinal, case or non-case comparative research approaches; qualitative, quantitative, or aggregate of each.
6. A -part look at over-the-counter over the counter healthcare context with nurses and pharmacists.<sup>16</sup>

### Exclusion criteria

**Literature available previous to over the counter year 2020.** Shown works aren't translated from English for over the counter maximum component. Scholarly articles that won't be completely related to nursing or subjects of pharmacy. Studies that doesn't cowl over-the-counter era at the pleasant warranty. Quick verbal exchange inclusive of over the counter reviews or editorials or over the counter oretical papers that don't incorporate facts for analysis.<sup>17</sup>

Research that are performed in different industries over r the counter healthcare or over-the-counter settings that aren't scientific. (Intervention) I Implementation of technological equipment (e.g., automated remedy structures, EHRs, selection assist device.<sup>10</sup> ( Comparision ) C conventional guide tactics without over the counter of era. (Outcome ) O development in best warranty metrics, which includes accuracy, affected person safety, and efficiency (timeframe) T over-the-counter five years (2020 to 2024)<sup>18</sup>

### result and discussion

#### Government summary

**This file consists of four additives; it**

1. investigate over-the-counter human effect and financial charges of drugs safety activities in OECD countries .,
2. Explores possibilities to improve prescribing practices .<sup>13</sup>
3. Examines over the counter country-of-over-the-counter artwork in structures and regulations for enhancing medicine protection.<sup>19</sup>
4. Affords guidelines for enhancing medication protection at the national level.

Negative remedy protection and sup-over-the-counter prescribing effects come at a full-size cost terrible medication practices and insufficient system infrastructure—ensuing in negative adherence, medicine associated harms, and medication errors—too often effects in patient harm. As many as 1 in 10 hospitalizations in OECD countries may be as a result of a medication-associated occasion and as many one in five sufferers enjoy remedy-related harms all through hospitalization. Over the counter, prices from avoidable admissions due to medicinal drug-related events and brought duration of live due to preventable health facility-obtained medication-related harms general over USD 54 billion in OECD international locations. This figure is equal to eleven% of overall pharmaceutical spending across 31 OECD international locations for which facts are available<sup>19</sup>

### How does over-the-counter use of generation that affect excellent assurance in nursing and pharmaceutical practices population

P Nurses and pharmacists involved in healthcare settings 1992 Wafa Ibrahim Khudhayri, Adel Ahmad A-

dali, Ali Jubran Noshaily, Asim Mousa Mongary, Jamal Mohammed Hamzi, Abdulrahman Khulaif Almutairi, Yazeed Owaid H Alanazi, Tahani Saad Alarabi, Nada Ali Mohammed Abdullah, Meshia Atia Alzubaidi, Munirah Moshabab Almansour Intervention<sup>5</sup> in which international locations stand in regard to over-the-counter adoption of medication protection policies OECD nations have made enormous development in enforcing purposeful gear to screen and determine medicine safety. over-the-counter subsequent frontier is operation alising those statistics to make structures safer in real-time.<sup>19</sup> There have been a number of innovations in digitization (clever infusion pumps, drug management structures, e-prescribing) and records infrastructure (affected person-reviews of medicine-related harms, publish-marketplace surveillance, eHR capacity, bar coding) which have massive capacity to improve remedy protection at scale. Out, systematic uptake over-the-counter of over - over the counter interventions is lagging.<sup>20</sup> Simplest four countries, Costa Rica, Estonia, Israel and over the counter Ne over the counter lands, presently have carried out national programmes over-the-counter use of barcodes to music medications for monitoring and management. To this point, most digitally associated interventions have been adopted by countries best in selected care settings. Seventeen nations use barcode medicinal drug administration, 14 use clever infusion pumps, and 13 use automated meting out shelves in over-the-counter least over the counter a few settings<sup>21</sup>

**.Regulatory suggestions** distinctive international locations over-the-counter global have over the counter guidelines to modify medication damage and enhance affected person protection<sup>22</sup>

**1. WHO pointers:** The WHO began over-the-counter “remedy without harm” software to reduce over the counter critical, preventable harm from drugs by way of 50% globally in 5 years.<sup>23</sup>

**2. US FDA:** US FDA with middle for Drug assessment and studies prepared pointers on protection issues for product design to minimize medicine mistakes. In this, over-the-counter emphasize clear labeling, standardized packaging, and user friendly design to decrease medicine errors<sup>24</sup>

**3. ASHP pointers:** In Australia, ASHP hints consciousness on creating a device to lessen medication errors in hospitals. They suggest standardizing tactics, over over the counter tools inclusive of over the counter barcodes and automatic systems, improving communique, and schooling workforce. Important steps include checking medicinal drugs for accuracy, adequately coping with high risk pills, and often reviewing for errors<sup>25</sup>

**4. Eu clinical groups (EMA’s) hints:** The EMA, Europe guideline Good practice manual on risk minimization and prevention of medicine errors, explains over-the-counter reduce medication errors over-the-counter use of clean labels, easy to use packaging, teaching healthcare workers and patients, and tracking protection. It specializes in finding risks during drug development and taking steps to save you harm.<sup>25</sup>

### Special considerations for vulnerable Populations Pediatrics

youngsters are especially liable to medicine errors because of over the counter wonderful nature over the counter pharmacological wishes in comparison to adults. Pediatric dosages are frequently decided by usingover the counter weight or age, making even minor errors in weight size or unit conversion potentially unfavourable. over the counter liquid formulations, commonly prescribed to kids, introduces furoverover the counter challenges, which include confusion concerning concentration and guidance errors<sup>25</sup>

### Geriatric

Geriatric populace adults face specific demanding situations with medication safety. As human beings get

older, over-the-counter our bodies cope with drug treatments over-the-counter way, that could improve over-the-counter chance of unfavorable results and adverse responses. Many older human beings take a couple of medicines to manage continual health conditions, which raises over the counter probabilities of drug interactions or issues with dosing.<sup>24</sup>


### Medication and affected person protection in India


India specializes in enhancing medicine and patient safety thru sturdy regulations, monitoring systems, and awareness applications. The Pharmacovigilance programmes of India tracks unfavourable drug reactions to ensure medicines are used correctly. Virtual tools over-the-counter with eprescriptions and telemedicine lessen errors in prescribing. Hospitals use structures over-the-counter with barcodes and EHRs to improve protection.<sup>23</sup>

### Pediatric medicinal drug safety fashions

The Pediatric medicinal drug safety model objectives to save you errors through that specialize in training healthcare workers, adjusting doses primarily based on age and weight, over-the-counte over the counter general prescribing guidelines, and double checking medicines<sup>2426</sup>

### Overview of pharmacy practice





### 3.1. Survey individuals and coverage

In 2011, over the counter responses had been acquired from 20/24 of over-the-counter health facility pharmacies (83%) and 51/ninety four medication dispensaries (54%), yielding an average reaction rate of 60% (n=71/118). In 2011, over the counter clinic pharmacies were now not asked over-the-counter over the counter had been college, relevant or community hospital pharmacies, over-the-counter over the counter overall insurance became eighty three%. In 2016, 18/24 of health facility pharmacies (seventy five%) and nine/28 of over-the-counter unbiased medication dispensaries (32%) responded to over the counter comply with-up survey resulting in an standard reaction fee of 52% (n=27/fifty two, discern 2).<sup>27</sup> over-the-counter over the counter respondents in 2016 had been all 5 college clinic pharmacies (100%), thirteen valuable sanatorium pharmacies and one community clinic pharmacy protecting 74% (n=14/19) of over-the-counter vital and community clinic pharmacies, which offer clinical pharmacy services to over-the-counter over the counter inpatient healthcare devices.<sup>24</sup>

### 3.2. Reported clinical pharmacy offerings in 2016 as compared to 2011

The relative number of responding devices offering clinical pharmacy services increased throughout 2011-2016 from 51% to 85% (desk 1).<sup>2</sup>

Thus, over over the counter of over the counter units reporting non-provision of scientific pharmacy services decreased from forty nine% in 2011 to 15% in 2016. over-the-counter principle over the counter reported reason for now not imparting clinical pharmacy services turned into over the counter small number of pharmacy staff, which was usually 1-2 pharmacists in medicinal drug dispensaries. The stated wide variety of medical pharmacists and clinic gadgets receiving clinical pharmacy services had extended throughout over-the-counter 5-year study length (table 1). Extra typically over-the-counter were suggested to break up over-the-counter paintings time between 2-three units both in 2011 and 2016, most effective a small range of over-the-counter scientific pharmacists were reported to paintings in one unit (ward,

hospital). According to over-the-counter responses of over-the-counter both surveys, over the counter services had been most typically to be had in surgical and inner medication wards. All 5 university hospitals mentioned having medical pharmacy services in extensive care, pediatric and oncology gadgets in 2016.<sup>24</sup>

### 3.2.1 Evolution of reported responsibilities of medical pharmacists

reported duties achieved over-the-counter aid of scientific pharmacists in 2011 and 2016 are provided in determine three. The parent suggests extension and implementation of over-the-counter brand new over the counter tasks, maximum of which had been related to improving ACCE Responses to this countrywide study recommend changes over-the-counter in over over the counter pharmacists' involvement in affected person care and assuring medication safety in Finnish hospitals within a term of 5 years in 2011-2016. This change may be visible over the counter group of workers assets and responsibilities done by means of medical pharmacists in care devices . Their contributions were stated to be prolonged closer to interventions prioritized in international and countrywide affected person and medication safety recommendations. also, medical pharmacists' competences had been mentioned to have advanced thru continuing education and specialization programs towards assisting patient and medication safety initiatives (determine five)<sup>24</sup>

### Conclusion

: it is critical that over the counter management of healthcare groups embody modern technologies to get extra patients' benefits and organizational effectiveness. over the counter examine and improvement of over-the-counter first-class assurance measures are required to triumph over over-the-counter difficulties connected with these advancements. with over over the counter developing strategic segments for sharing efforts and duties over-the-counter associated parties, over the counter healthcare industry serves over-the-counter want to put in force greater revolutionary possibilities offered through technologies and consequently over the counter, over-the-counter wishes of patients may be advanced.<sup>28</sup> Community Pharmacy a network pharmacy, regularly called a retail pharmacy, is a healthcare facility where pharmacists provide prescription medications, 2f2874cf80c036e5b52269eaf5ddfe83 drugs, and fitness recommendation to over-the-counter over the counter. These pharmacies function handy factors for remedy doling out, fitness consultations, and preventive care offerings. Community pharmacies also play an crucial role in public health through supplying offerings over-the-counter with immunizations, health screenings, and smoking cessation applications. Over- Over the counter fundamental to improving health literacy by using over the counter instructing patients at the proper use of medicines and over-the-counter significance of adherence. Network pharmacy, also known as retail pharmacy, serves over-the-counter first point of contact for people in search of health advice and medicinal drugs. It bridges over-the-counter gapover the counter between healthcare providers and sufferers, focusing at the accessibility and provision of 2f2874cf80c036e5b52269eaf5ddfe83 (OTC) and prescription medications.<sup>29</sup>

### References

1. Ahmed R, TANZIMUR RAHMAN TAMIM. Enhancing Medication Safety: The Role of Community and Hospital Pharmacists in Modern Healthcare Systems. *Radinka J Heal Sci*. 2025;2(3):328-355. <https://rjupublisher.com/ojs/index.php/RJHS/article/view/418>
2. Sanap GS, Mohanta GP. Solid lipid nanoparticles (SLN) -based hydrogel formulation for topical delivery of miconazole nitrate. *Int J Pharma Bio Sci*. 2013;4(2):21-33.

3. Brown DA. Membrane organization | Lipid rafts. *Encycl Biol Chem Third Ed.* 2021;2:817-820. doi:10.1016/B978-0-12-819460-7.00583-1
4. Kinam Park, Jones R. 基因的改变 NIH Public Access. *Bone.* 2014;23(1):1-7. doi:10.1016/j.neuint.2010.12.004.Effects
5. Sanap G, Dama G, Hande A, et al. *Preparation of Transdermal Monolithic Systems of Indapamide by Solvent Casting Method and the Use of Vegetable Oils as Permeation Enhancer.* Vol 2.; 2008. doi:10.4103/0973-8258.41189
6. Welter KC, de Magalhães Rodrigues Martins CM, de Palma ASV, et al. Canola oil in lactating dairy cow diets reduces milk saturated fatty acids and improves its omega-3 and oleic fatty acid content. *PLoS One.* 2016;11(3):1-16. doi:10.1371/journal.pone.0151876
7. Leroy JLMR, Sturmeijer RG, Van Hoeck V, Bie J De, McKeegan PJ, Bols PEJ. Dietary lipid supplementation on cow reproductive performance and oocyte and embryo viability : a real benefit ? *Anim Reprod.* Published online 2013:258-267.
8. Phalphale SG, Daniel K. Nephroprotective, Hepatoprotective and Toxicological Studies of Vigna mungo Aqueous Extract. *Int J Drug Deliv Technol.* 2025;15(3):1034-1039. doi:10.25258/ijddt.15.3.19
9. Shingade SS, Mandhare TA, Kashid PS, Otari K. Asian Journal of Pharmaceutical Research and Development. *Asian J Pharm Res Dev.* 2024;12(4):119-125.
10. Sanap GS, Mohanta GP. Development of miconazole nitrate controlled release formulations based on sln and NLC for topical delivery. *Int J Pharm Pharm Sci.* 2014;6(4):393-399.
11. Oh J, Hristov AN, Lee C, et al. Immune and production responses of dairy cows to postprandial supplementation with phytonutrients. *J Dairy Sci.* 2013;96(12):7830-7843. doi:10.3168/jds.2013-7089
12. Yang WZ, Benchaar C, Ametaj BN, Chaves A V., He ML, McAllister TA. Effects of garlic and juniper berry essential oils on ruminal fermentation and on the site and extent of digestion in lactating cows. *J Dairy Sci.* 2007;90(12):5671-5681. doi:10.3168/jds.2007-0369
13. Sanap GS, Mohanta GP. Design and evaluation of miconazole nitrate loaded nanostructured lipid carriers (NLC) for improving the antifungal therapy. *J Appl Pharm Sci.* 2013;3(1):46-54. doi:10.7324/JAPS.2013.30109
14. Sanskruti Pawar, Shubhangi Manikpuriya, Gajanan Sanap. The Phytochemical and Pharmacological Screening of Withania Coagulans. *World J Biol Pharm Heal Sci.* 2023;16(3):109-117. doi:10.30574/wjbphs.2023.16.3.0501
15. Sanap GS, Sawant VA, Shende VS, et al. Anti-hyperglycemic and antioxidant activities of the Mehari choornam. *Res J Pharm Technol.* 2010;3(2):402-405.
16. Bell, Thorsten; Urhahne, Detlef; Schanze; Sascha & Ploetzner R. technology To cite this version : r P Fo r R w On ly. 2011;27(02):146-168.
17. Oyinkanola LOA, Aremu OA, Fajemiroye JA, Makinde SO. On the physical significance and dielectric response of Castor oil processed in Nigeria as transformer insulating fluid. 2023;VIII(2454):60-66. doi:10.51584/IJRIAS
18. Jouany JP, Yiannikouris A, Bertin G. The chemical bonds between mycotoxins and cell wall components of *Saccharomyces cerevisiae* have been identified. *Arch Zootech.* 2005;(Table 2):26.
19. Gantner BN, Simmons RM, Underhill DM. Dectin-1 mediates macrophage recognition of *Candida albicans* yeast but not filaments. *EMBO J.* 2005;24(6):1277-1286. doi:10.1038/sj.emboj.7600594
20. Hatwar P. World Journal of Pharmaceutical Sciences. *World J Pharm Life Sci.* 2020;6(4):72-80.

doi:10.20959/wjpr20241-30902

21. Tobaiqy M, MacLure K. Medication Errors in Saudi Arabian Hospital Settings: A Systematic Review. *Med.* 2024;60(9):1-19. doi:10.3390/medicina60091411
22. Frontini R, Miharija-Gala T, Sykora J. EAHP survey 2010 on hospital pharmacy in Europe: Parts 4 and 5. Clinical services and patient safety. *Eur J Hosp Pharm.* 2013;20(2):69-73. doi:10.1136/ejhpharm-2013-000285
23. Çelikkayalar E. *Developing Safe Medication Practices Within a Regional Health Care District in Finland.*; 2022.
24. Lotta S, Kirsi A, Kirsi K, et al. Strategies for improving medication safety in hospitals: Evolution of clinical pharmacy services. *Res Soc Adm Pharm.* 2019;15(7):873-882. doi:10.1016/j.sapharm.2019.02.004
25. Hämeen-Anttila K, Närhi U, Tahvanainen H. *Rational Pharmacotherapy Action Plan. Final Report.*; 2018. <https://julkaisut.valtioneuvosto.fi/handle/10024/160824>
26. Shaikh I, Farooqui M, Sanap G, Abed S. Study of Antimicrobial and Antifungal Activity of the Bis-Indole Derivatives of 2-Phenyl-1-H-Indole. 2018;3(4):34-37.
27. Pranali Hatwar MP, Hudekar GG, Hudekar MS, Sanap GS, Professor A. a Review on Hydrotropy: a Solubility Enhancing Technique. 2022;10(2):2320-2882. doi:10.20959/wjpr20235-27706
28. 17.pdf.
29. Sanap GS. International Journal of Research Publication and Reviews Therapeutic Role of Euphorbia Nerifolia their Active Constituents and Pharmacological Activity in Disease prevention and T ... International Journal of Research Publication and Reviews Therapeutic . 2024;4(April 2023):1584-1595.