International Journal for Multidisciplinary Research (IJFMR)
E-ISSN: 2582-2160 ● Website: www.ijfmr.com ● Email: editor@ijfmr.com

Plant Based Pathway to Pain Relief: Exploring Indian Medicinal Plant for Effective Arthritis Therapy

Pranali R. Pawar[1], Payal K. Tarte[2], Siddhant R. Badhe[3], Dr. Gajanan S. Sanap[4]

[1,2,3,4]Late Bhagirathi Yashwantrao Pathrikar College of Pharmacy, Pathri Ch. Sambhajinagar

Abstract

Herbal remedies demonstrate considerable potential for alleviating joint pain. Medicinal plants provide safer alternatives owing to their anti-inflammatory and immune-modulating properties. Various herbs and plant-based compounds have exhibited encouraging anti-rheumatoid effects by diminishing pain and inflammation. Conventional treatment using synthetic medications alleviates disease symptoms but often leads to increased side effects. In contrast, herbal treatments are devoid of side effects.

Keywords: arthritis, joint wellness, herbal treatments, natural medicine, medicinal herbs

INTRODUCTION:

Rheumatoid arthritis

Arthritis is a condition marked by inflammation and deterioration of joint structures, resulting in discomfort, stiffness, and limited mobility. Herbal treatments show substantial promise in alleviating joint pain. Medicinal plants present safer alternatives due to their anti-inflammatory and immunomodulatory effects. Numerous herbs and plant-based compounds have demonstrated encouraging anti-rheumatoid activity by diminishing pain and inflammation[1].

Conventional synthetic medications alleviate disease symptoms but often come with numerous side effects.[2] In contrast, herbal treatments typically do not result in side effects. Rheumatoid arthritis is not a hereditary condition; researchers suggest that certain individuals possess genes that increase their vulnerability to the disease[3].

Experts argue that having these genes does not guarantee the development of rheumatoid arthritis. There is typically a "trigger," such as an infection or environmental exposure, that activates these genes. When the body encounters such a trigger, the immune response can be inappropriate. Instead of safeguarding the joints, the immune system starts producing substances that attack them, potentially leading to rheumatoid arthritis[4]. [5]

As an autoimmune disorder, the body's immune system erroneously attacks healthy tissues. In a normal joint lining, blood vessels are sparse and the lining is relatively thin; however, in joints afflicted by rheumatoid arthritis, the lining becomes thickened and filled with white blood cells[6]. These white blood cells release chemical substances such as interleukin-1 (IL-1) and tumor necrosis factor alpha (TNF-alpha), which cause pain, swelling in the joints, and joint damage. Recent research has unveiled novel

cytokines like IL-17 and IL-18. [7]

These cytokines prompt synovial fibroblasts and chondrocytes in adjacent articular cartilage to produce enzymes that break down proteoglycans and collagen, culminating in tissue destruction and the involvement of RANK ligand (RANKL) in chronic arthritis development. Traditional treatments often only offer relief from symptoms and can result in side effects with prolonged use. Consequently, natural herbal remedies like Parijat have garnered interest as safer options. [8]

Research has shown that extracts from Parijat leaves and roots possess anti-inflammatory, analgesic, and immunomodulatory properties. The bioactive compounds present, including flavonoids (quercetin, nyctanthin), iridoid glycosides, and phenolic compounds, contribute to its therapeutic potential. These components are thought to inhibit the release of inflammatory mediators like prostaglandins and cytokines, leading to a reduction in joint inflammation and pain[3,4,9].

Types of arthritis:[3]

1. Osteoarthritis: A condition characterized by the gradual deterioration of the cartilage that cushions the ends of bones, resulting in pain and stiffness. It is the most prevalent type and tends to progress slowly over time.
2. Rheumatoid arthritis: This is an autoimmune disorder where the body's immune system mistakenly attacks the joint lining (synovial membrane), causing inflammation, swelling, and potential joint damage.[10]
3. Gout: A type of inflammatory arthritis triggered by the accumulation of uric acid crystals in the joints, which leads to sudden and severe pain and swelling, commonly affecting the big toe.
4. Psoriatic arthritis: An inflammatory type of arthritis that may arise in individuals with the skin condition psoriasis. It can impact joints, ligaments, and tendons, leading to joint swelling and discoloured or pitted nails.[11]
5. Reactive arthritis: A kind of inflammatory arthritis that occurs as a reaction to an infection in another part of the body.[3]

Signs And Symptoms

1. Joint Pain
2. Swelling

3. Tenderness
4. Difficulty Moving
5. Skin Discoloration

Causes:

1. Wear and tear
2. Aging
3. Obesity
4. Repetitive stress
5. Autoimmune and genetic causes
6. Infection[4]



Risk Factors[3][12]

Limitations[6]

Current treatments and associated side effects

Systemic toxicity, lack of specificity, neurological disorders,

Significance of medicinal plants

Plants have historically been a core component of traditional medicinal practices, including Ayurveda, Unani, Siddha, and Traditional Chinese Medicine.

Medicinal plants serve as a valuable source for discovering new drug candidates. Numerous medicinal plants contribute to enhancing immunity, detoxifying the body, and preventing chronic conditions such as diabetes, arthritis, and high blood pressure. [13]

They are generally better tolerated and exhibit lower toxicity compared to synthetic medications due to their natural composition and the lower concentration of active chemicals.

Reasons for selecting this specific plant: The Parijatak plant (Nyctanthes Arbor-tristis) is a remarkable subject for examination because of its diverse therapeutic properties, unique phytochemical profile, and

significant ethnobotanical and cultural importance.[14] [15]

Review of Literature:

1. K. K. Saha et al. (Indian J. Pharm. Sci.) 1996 Pharmacological assessment: Showed that leaf extracts possess anti-inflammatory and antipyretic properties in animal models.
2. A. K. Gupta et al. 2004 Ayurvedic Pharmacopoeia: Provided an official monograph for N. Arbor-tristis, validating its therapeutic uses in Ayurveda.
3. S. K. Bhattacharya & M. C. Chatterjee 1952 Identification of chemical compounds: Reported the presence of nyctanthic acid and iridoid glycosides, establishing a basis for phytochemical studies.
4. R. S. Saxena et al. (1984) — Early pharmacological studies: Conducted the first systematic screening revealing the anti-inflammatory effects of N. Arbor-tristis leaf extracts in acute and subacute inflammation models.
5. Brijesh Rathore et al. (2007) — Comparative organ study utilizing a murine Freund's-adjuvant arthritis model; indicated modulation of pro- and anti-inflammatory cytokines (TNF-α, IL-1β, IL-6, IL-10) by extracts from various plant parts.
6. M. Uroos, Z. Abbas and colleagues (2017) — Demonstrated that different solvent extracts (notably ethyl acetate) alleviated FCA-induced experimental rheumatoid arthritis in rats, diminishing paw swelling and arthritic measures (Evid-Based Complement Altern Med).
7. A. Sharma (2023) / A. Sharma et al. (Frontiers / MDPI publications) — Conducted in vitro and in silico research as well as safety evaluations: demonstrated immunomodulatory effects (downregulation of TNF-α, upregulation of IL-10), favorable docking of phytochemicals with inflammatory targets, and reported subacute toxicity and dosage findings—supporting translational potential while highlighting the need for additional mechanistic and clinical investigations.[14][16][17]
8. C. S. Godse (and collaborators) (2016) — Review on reverse pharmacology and translational insights: Evaluated disease-modifying and antiparasitic evidence for N. Arbor-tristis and discussed rapid clinical strategies transitioning from traditional uses to trials.[18]
9. R. K. Mishra et al. 2020 Evaluation of antidiabetic effects: Found that an ethanolic extract of the leaves significantly lowered blood glucose levels in diabetic rats.[19]
10. Smeera Thomas, J. Grace Nirmala, R. T. Narendhirakannan 2013 Study on adjuvant-induced arthritis in rats; ethanol extracts from leaves and stems, 150 mg/kg daily over 30 days—showed significant reductions in paw edema, restoration of antioxidant enzymes SOD and catalase; decreased lipid peroxidation; histological evaluations indicated reduced joint tissue damage. Emphasizes oxidative stress; does not dissect molecular inflammatory signaling; dosage is moderate; lacks clinical data.[20]

Introduction to Plants

1. ASHWAGANDHA

Biological Name: Withania somnifera linn.

Family: Solanaceae

Common Name: Winter cherry, withania root

1. Uses: 1) Mitigates joint inflammation
2. Slows the degeneration of cartilage
3. Modulates immune responses
4. Enhances muscle strength

5. Reduces stiffness and stress[21]

Ashwagandha, commonly referred to as Indian ginseng, is a significant ancient herb. The roots of Ashwagandha have been utilized in traditional Indian medical practices, specifically in Ayurveda and Unani. It can be found growing in arid areas of sub-tropical regions, including Rajasthan, Punjab, Haryana, Uttar Pradesh, Gujarat, Maharashtra, and Madhya Pradesh. The medicinal properties of the root are largely due to the presence of alkaloids and steroidal lactones. Among the alkaloids found are withanine, pseudo-withanine, tropine, pseudo-tropine, somniferine, and somnine, as well as two acyl glucosides, sitoindoside-7 and sitoindoside-8, which have been extracted from the roots. The herb has been utilized as an aphrodisiac,[22] liver tonic, anti-inflammatory agent, and more recently has been employed to alleviate conditions such as asthma, ulcers, insomnia, and senile dementia. Research from clinical trials and animal studies backs the effectiveness of Ashwagandha for treating anxiety, neurological disorders, inflammation, and Parkinson's disease. In traditional medical practices, a variety of ailments have been remedied using herbal plants or their products. There is a growing interest in utilizing herbal plants for their unique medicinal properties due to their cost-effectiveness, accessibility, and minimal side effects[23].

2. **TURMERIC** [24]

Scientific Name: Curcuma longa Linn.
Common Name: Turmeric root, Indian saffron
Family: Zingiberaceae
Uses:[25]

1) Reduces joint stiffness
2) Enhances synovial health
3) Aids long-term management of arthritis
4) Improves joint function
5) Decreases reliance on pain medications

Turmeric is a perennial herb that belongs to the genus Curcuma. The most crucial chemical compound found in turmeric is curcumin, which demonstrates pharmacological effects such as antioxidant, anti-inflammatory, anti-angiogenic, and anti-tumour properties with minimal adverse effects. Previous research has indicated that curcumin and the curcuminoids present in turmeric may protect against various chronic diseases by suppressing inflammatory responses, reducing blood lipid levels, and enhancing blood sugar control. Curcumin can effectively diminish inflammatory responses and alleviate symptoms like pain and swelling[26].

Additionally, traditional medicine has utilized medicinal plants to address chronic and life-threatening illnesses. Turmeric is an herbaceous evergreen plant that belongs to the Zingiberaceae (ginger) family and is widely cultivated in Asia, particularly in India and China.[27] Likely originating in India, turmeric has been utilized there for over 2,500 years. The spice turmeric (Curcuma longa) is commonly used as a flavouring agent, food preservative, and colouring material in India, China, and Southeast Asia. It has historically served as a home remedy for a range of ailments, including biliary disorders, loss of appetite, cough, diabetic wounds, and liver issues. In the Indian system of Ayurveda herbal medicine, turmeric is recognized for its strengthening and warming properties for the entire body[28].

3. MORINGA LEAF

Scientific Name: Moringa oleifera, Moringa oleifera lam.

Common Names: Miracle tree, Drumstick tree, Horseradish tree.

Family: Moringaceae.

Uses:[29]

1) Decreases swelling and redness.
2) Enhances joint mobility.
3) Mitigates oxidative damage.
4) Promotes bone strength.
5) Alleviates fatigue and weakness[30].

Moringa oleifera, often referred to as the "miracle tree," is found in nearly all tropical and subtropical regions of the world, though its origins are thought to be Afghanistan, Bangladesh, India, and Pakistan. Moringa can be grown in both nursery and field settings, either from seeds sown directly or from cuttings. In just one year, moringa trees can reach heights between 5 and 12 meters and begin to flower. Moringa oleifera L., also known as the 'Drumstick' or horseradish tree, is a non-flowering species. [31]

The levels of nitrogen (N), phosphorus (P), calcium (Ca), magnesium (Mg), potassium (K), sodium (Na), and iron (Fe) in the leaves of M. oleifera were analyzed at the conclusion of both harvesting seasons using ground dried leaf samples. This tree has significant potential to enhance nutrition, strengthen food security, and promote rural development, as noted by Hsu in 2006. Despite this, many individuals in South Africa are unaware of the benefits that Moringa can offer[32].

The tree's potential to improve nutrition, aid food security, and encourage rural growth has again been emphasized (Hsu, 2006). Various factors such as genetic diversity, environmental conditions, handling after harvest, and methods of food preparation can all affect the nutritional value and health benefits of moringa. Certain medications rely on cellular pumps for their movement in and out of cells. One strategy for creating functional foods is to incorporate ingredients with health-promoting bioactive compounds. Moringa oleifera is a rapidly growing, drought-resistant tree belonging to the Moringaceae family, noted for its nutritional and medicinal benefits. Moreover, Moringa may possess properties that help lower cholesterol.[33]

4. FENUGREEK :

Botanical Name: Trigonella foenum-graecum.

Common Name: Methi, Greek Clover.

Family: Fabaceae

Applications:[34]

1) Alleviates pain and tenderness associated with osteoarthritis and rheumatoid arthritis.
2) Provides antioxidant protection.
3) Helps regulate abnormal immune responses.
4) Enhances stamina and aids recovery in arthritis patients.
5) Reduces swelling[35].

Trigonella foenum- Graecum(fenugreek) is a member of the Fabaceae family. This medicinal condiment is employed in the treatment of colourful affections including diabetes, inflammation, cancer, high cholesterol, reproductive issues, and neurodegenerative conditions. For centuries, fenugreek seeds have been employed as carminatives, demulcents, expectorants, laxatives, and stomachic agents. Flavonoids and alkaloids are noted for their neuroprotective and antioxidative parcels.[36] This has led to the development of functional foods that include a different array of factors similar as probiotics, prebiotics, vitamins, minerals, and salutary fiber. It's honored as one of the most promising traditional shops, considerably cultivated in multitudinous regions of Africa, Europe, and Asia as an indigenous remedy, spice, and herbal food. In traditional Chinese drug, fenugreek seeds are considered a alcohol and are used to treat weakness and swelling in the legs. The nutritive content and bioactive composites set up in fenugreek are well- proved. These composites don't operate in the same manner as pharmaceutical medicines and cannot serve as reserves for them[37 38,39].

5. GINGER:

Biological Name: Zingiber officinale.[40]
Common Name: Ginger root.
Family: Zingiberaceae
Uses:

1) Natural pain reliever
2) Alleviate morning stiffness
3) Enhance blood circulation
4) Stimulate digestive function
5) Mitigate oxidative stress[41]

Ginger has been a significant component in Asian traditional medicine for hundreds of years, especially for alleviating pain in musculoskeletal conditions. In Europe, ginger was included in Galen's pharmacopoeia and was mentioned by Pliny the Elder for its medicinal properties. Since that time, ginger has been incorporated into folk remedies and popular health supplements. Ginger comprises a complex array of biologically active substances, with gingerols and shogaols seemingly contributing the most to its anti-inflammatory effects and the creation of ginger products.

The health advantages of ginger for human well-being are primarily linked to its bioactive components, such as phenolic compounds, flavonoids, terpenes, and various volatile substances found in ginger's essential oils; hence, the initial section focuses on some of the phytochemicals present in ginger. For thousands of years, individuals have utilized ginger (Zingiber officinale Roscoe), an esteemed herbaceous plant, as both a flavouring agent and a herbal remedy. The flesh of ginger rhizomes can range in color from white to red, depending on the specific variety.[42]

In particular, the main categories of ginger compounds include gingerol, shogaols, zingiberene, and zingerone, along with other less prevalent substances like terpenes, vitamins, and minerals.

6. PARIJATAK ROOT:

Biological Name: Nyctanthes Arbor-tristis

Common Name: Night flowering jasmine, Coral jasmine

Family: Oleaceae

Uses:

1) anti-inflammatory,
2) antipyretic,
3) antibacterial properties,
4) support for respiratory issues,
5) arthritis.

The plant is a traditional ethnomedical species found across Asia, particularly in India. It thrives in sub-Himalayan regions throughout Central India, Bengal, Rajasthan, Madhya Pradesh, Chhotonagpur, extending south to the Godavari, as well as in Nepal and Burma. It serves as the official flower for both the Indian state of West Bengal and Thailand's Kanchanaburi province (Chakraborty and Datta, 2022).

Various parts of the plant, including its leaves, flowers, bark, fruits, and seeds, possess distinct pharmacological properties and are utilized in alternative medicine systems such as Siddha, Unani, and Ayurveda. Snigdha et al. (2013) noted that in Chinese medicine, the leaves are employed to alleviate stomach pain, diarrhoea, and quadriplegic gall[43].

Parijat is esteemed for its aromatic, decorative flowers and lush leaves, showcasing its versatility. An extract from the roots is used to treat spleen enlargement. Traditionally, the roots act as an anthelmintic, while the bark serves as an antidysenteric and antidiarrheal agent. The corolla's tubes were historically utilized for silk dyeing. The wood is used as lathing support for roofing with tiles or grass. Young branches are crafted into baskets. [44]

CONCLUSION:

Indian medicinal flora presents promising plant-based options for alleviating pain and managing inflammation associated with arthritis. The strongest evidence supports the use of turmeric (curcumin), ginger, and ashwagandha, with emerging supporting data for moringa, fenugreek, and parijatak. Although the need for larger, well-conducted clinical trials remains, these herbs offer a complementary approach that aligns well with a holistic and personalized strategy for managing arthritis**.**

REFERENCE:

1. Kaur A, Nain P, Nain J. Herbal plants used in treatment of rheumatoid arthritis: A review. *Int J Pharm Pharm Sci*. 2012;4(SUPPL. 4):44-57.
2. Mohanrao Sonawane V, Hatwar P, Sanap G, Mohanrao Sonawane LBY V. Protein Fiber in Drug Delivery System. *Certif J │ 785 World J Pharm Res SJIF Impact Factor 8084*. 2023;12(22):786. doi:10.20959/wjpr202322-30680
3. Thakur S, Kaurav H, Chaudhary G. a Review on Ashwagandha (Withania Somnifera): Mind and Body Rejuvenator. *Int J Res Ayurveda Pharm*. 2021;12(2):132-139. doi:10.7897/2277-4343.120263
4. Jabczyk M, Nowak J, Hudzik B, Zubelewicz-Szkodzińska B. Curcumin in metabolic health and

disease. *Nutrients*. 2021;13(12):1-12. doi:10.3390/nu13124440
5. Ghorpade D, Rakde S, Chavan A, et al. DESIGNING AND ASSAYS OF POLYHEDRAL DUSTING POWDER WITH ANTIMICROBIAL PROPERTIES FOR MANAGING SKIN ITCHING *Corresponding Author. *Certif J | Rakde al World J Pharm Res 1361 World J Pharm Res SJIF Impact Factor 8*. 2024;13(13):1362. doi:10.20959/wjpr202413-33088
6. Iweala EJ, Uche ME, Dike ED, et al. Curcuma longa (Turmeric): Ethnomedicinal uses, phytochemistry, pharmacological activities and toxicity profiles—A review. *Pharmacol Res - Mod Chinese Med*. 2023;6(December 2022):100222. doi:10.1016/j.prmcm.2023.100222
7. Bolkar PE, Sanap GS, Shelke PA. Review: Effect of medicinal herbs on dysmenorrheoa. *~ 150 ~ J Pharmacogn Phytochem*. 2023;12(2):150-159. https://www.phytojournal.com
8. Shaikh I, Farooqui M, Sanap G, Abed S. Study of Antimicrobial and Antifungal Activity of the Bis-Indole Derivatives of 2-Phenyl-1-H-Indole. 2018;3(4):34-37.
9. Gadekar JK, Kakde AH, Shelke PA, Sanap GS, Gadekar Late Bhagirathi Yashwantrao Pathrikar JK. Review on Therapeutic Role of Azadirachta Indica Neem and Their Active Constituents in Disease Prevention and Treatment. *Certif J | 2121 World J Pharm Res SJIF Impact Factor 8084*. 2023;12(5):2122. doi:10.20959/wjpr20235-27735
10. Dhapse PD, Sawle N, Kale NR, Sanap G, Shivshankar M. PELLETS IN PHARMACEUTICALS : AN OVERVIEW OF PELLETIZATION TECHNIQUES AND EXCIPIENTS FOR OPTIMIZED DRUG DELIVERY. 2025;10(1):97-114.
11. Thorat AN, Kathar NP, Sanap GS, Bodkhe MS. Review : Bilayer Tablet Is a New Approach. 2023;12(5):1028-1047. doi:10.20959/wjpps20235-24788
12. Raut PS, Gadekar NK, Mokale B, Sanap G. Review on Momordica Dioica. *Certif J | Raut al World J Pharm Res*. 2023;12(5):2295. doi:10.20959/wjpr20235-27733
13. Sanskruti Pawar, Shubhangi Manikpuriya, Gajanan Sanap. The Phytochemical and Pharmacological Screening of Withania Coagulans. *World J Biol Pharm Heal Sci*. 2023;16(3):109-117. doi:10.30574/wjbphs.2023.16.3.0501
14. Verma RK, Kumari P, Maurya RK, Kumar V, Verma R, Singh RK. Medicinal properties of turmeric (Curcuma longa L.): A review. *~ 1354 ~ Int J Chem Stud*. 2018;6(4):1354-1357.
15. Singh T, Kumar R V, Gholap AD, Sanap G, Anjaiah B. In vitro antipyrial activity of psidium guajava leaf extract. *Eur J Pharm Med Res*. 2016;3(1):312-315.
16. Sanap GS. International Journal of Research Publication and Reviews Therapeutic Role of Euphorbia Nerifolia their Active Constituents and Pharmacological Activity in Disease prevention and T ... International Journal of Research Publication and Reviews Therapeutic . 2024;4(April 2023):1584-1595.
17. Chattopadhyay I, Biswas K, Bandyopadhyay U, Banerjee RK. Domenici & Blake 1997. *Curr Sci*. 1997;87(1):1-14.
18. Prakash Mirkar P, Pandav SS, Sanap GS. a Review on: Diabetes Mellitus Treatment Using Herbal Drug. *Certif J | Mirkar al World J Pharm Res*. 2023;12(5):1828. doi:10.20959/wjpr20235-27687
19. Sanap GS, Mohanta GP, Kharche A, Khuspe P, Vidhate B. Novel Carriers in Topical Antifungal Therapy of Miconazole. *World J Pharm Res*. 2016;5(3):553-569.
20. Sachin Parmar, Amit Gangwal NSD. *** Scholars *** Scholars Research Library ***. *Sch Res Libr*. 2011;2(4):373-383.
21. 11.pdf.

22. Sanap GS, Mohanta GP. Development of miconazole nitrate controlled release formulations based on sln and NLC for topical delivery. *Int J Pharm Pharm Sci*. 2014;6(4):393-399.
23. Mashamaite CV, Ramatsitsi MN, Manyevere A. Moringa oleifera Lam.: A versatile climate-smart plant for nutritional security and therapeutic usage in semi-arid regions. *J Agric Food Res*. 2024;16(January):101217. doi:10.1016/j.jafr.2024.101217
24. A, Kale A, Wagh S, et al. Formulation of essential oil based on solid perfume. *World J Pharm Med Res*. 2024;10(7):191-196. www.wjpmr.com
25. Author C, Bansod BB, Goukonde R, Sanap G. A Review On Acacia Arabica And It's Medicinal Uses. *Int J Pharm Sci*. 2024;01(12):1-1. doi:10.5281/zenodo.10443939
26. Devkota S, Bhusal KK. Moringa oleifera: A miracle multipurpose tree for agroforestry and climate change mitigation from the Himalayas–A review. *Cogent Food Agric*. 2020;6(1). doi:10.1080/23311932.2020.1805951
27. Dorle MD, Bhivasane A, Sanap GS. Review : Cutaneous Mucormycosis. 2023;12(7):57-69. doi:10.20959/wjpr20237-27831
28. Salsi G, Greco C, Laudicina VA, et al. Preliminary results of Moringa oleifera Lam. grown in a semi-arid Mediterranean environment in a climate change scenario. *Front Sustain Food Syst*. 2025;9(June):1-13. doi:10.3389/fsufs.2025.1576147
29. Bodkhe MAB, Mokle MBA, Sanap G. Lumpy skin disease: An Overview. *Int J Creat Res Thoughts*. 2023;11(3):174-183. https://www.researchgate.net/publication/369139678
30. Moyo B, Masika PJ, Hugo A, Muchenje V. Nutritional characterization of Moringa (Moringa oleifera Lam.) leaves. *African J Biotechnol*. 2011;10(60):12925-12933. doi:10.5897/ajb10.1599
31. Sanap GS, Sawant VA, Shende VS, et al. Anti-hyperglycemic and antioxidant activities of the Mehari choornam. *Res J Pharm Technol*. 2010;3(2):402-405.
32. Yang R, Chang L. Nutritional and functional properties of Moringa leaves–From germplasm, to plant, to food, to health. *Moringa leaves ...*. Published online 2006:1-9. http://formad-environnement.org/Yang_ghana_2006.pdf
33. Sanap G, Dama G, Hande A, et al. *Preparation of Transdermal Monolithic Systems of Indapamide by Solvent Casting Method and the Use of Vegetable Oils as Permeation Enhancer*. Vol 2.; 2008. doi:10.4103/0973-8258.41189
34. Patil DR, kale NR, Sanap G, et al. Ai in Polycystic Ovary Syndrome: Revolutionizing Diagnosis and Management. *Int J Multidiscip Eng Curr Res*. 2025;10(1):37-46. http://ijmec.com/,
35. Mishra SP, Singh P, Singh S. Processing of Moringa oleifera Leaves for Human Consumption. *Bull Environ Pharmacol Life Sci*. 2012;2(1):28-31. https://www.researchgate.net/publication/257817208_Processing_of_Moringa_oleifera_Leaves_for_Human_Consumption
36. Dhamale P, Pardhe AT, Manikpuriya S, et al. Formulation and Evaluation of Herbal Cream Containing Extracts of Hyptis Suaveolens and Murraya Koenigii. *Certif J | Dhamale al World J Pharm Res 1725 World J Pharm Res SJIF Impact Factor 8084*. 2023;12(9):1726. doi:10.20959/wjpr20239-28113
37. Vilas More V, Jadhav V, Sanap GS. Review on Herbal Lipbam. *Certif J | More al World J Pharm Res*. 2023;12(5):1951-1964. doi:10.20959/wjpr20235-27705
38. Name O, Riboside SH, More S. Inosine - Uses , Side Effects , and More Side Effects. Published online 2025:20-22.
39. Ariani LN, Estiasih T, Sunarharum WB, Khatib A. Potential of moringa (Moringa oleifera) leaf powder

for functional food ingredients: A review. *Czech J Food Sci*. 2023;41(1):8-20. doi:10.17221/221/2022-CJFS

40. Mukhtar Ahmad Dar, Sarita Shrivastava PFI. World Journal of Pharmaceutical research FORMULATION. *SJIF J*. 2021;2(5):1685-1703. doi:10.20959/wjpr202322-30585
41. Athira KA, Panjikkaran ST, Aneena ER, Sharon CL, Lakshmi PS. Moringa- The Miracle Wellness Tree: A Review. *Agric Rev*. 2021;45(Of):35-43. doi:10.18805/ag.r-2316
42. Meena MK, Singh N, Singh M, Mahapatra S. World Journal of Pharmaceutical A REVIEW ON JATYADI TAILA & ITS MEDICINAL PROPERTIES. 2022;8(8):16-19. doi:10.20959/wjpr20252-34797
43. Muhammed RA, Mohammed S, Visht S, Yassen AO. a Review on Development of Colon Targeted Drug Delivery System. *Int J Appl Pharm*. 2024;16(2):12-27. doi:10.22159/ijap.2024v16i2.49293
44. Brar S, Sharma A. A review on medicinal herbs as immunity booster. *Pharmaspire*. 2021;13(2):231-248. doi:10.20959/wjpr20242-30947